

STRAIGHT LINE SPORTS

P.O. Box 172
Gander, Newfoundland
Canada, A1V 1W6

Tel: (011 0) 1-709-256-3533

Fax: (011 0) 1-709-256-3586

www.flies4fishing.com

mail@flies4fishing.com

ROD BUILDING COMPONENTS

RETAIL

Digital images available upon request

June to August:

SHEPPARD'S STORE

316 Veterans Drive
Cormack, Newfoundland
Canada, A8A 2R4

Tel: (011 0) 1-709-635-7106

Fax: (011 0) 1-709-635-8111

Orders by Fax receive faster attention

All Prices Listed in Canadian Dollars

NEWFOUNDLAND'S # 1 ROD BUILDING CATALOG

INDEX

Please place the price list in a ring binder for easy updates. Number Pages

B

[Blanks](#)

[Books](#)

C

[Cases](#)

[Checks](#)

[Combos](#)

[Cork Grips](#)

[Custom Built Rods](#)

F

[Finishes](#)

[Fighting Butts](#)

G

[Guides](#)

H

[Hints](#)

[Hookkeepers](#)

K

[Kits](#)

M

[Mixing Cups](#)

P

[Preservers](#)

R

[Reel Seats](#)

[Rod Bags](#)

S

[Solvents](#)

T

[Threads](#)

[Tops](#)

V

[Videos](#)

Business Number R11349454

Terms: No open accounts

Canadian Orders:

Visa, MasterCard, Money Order, COD.

Others:

Visa, MasterCard, Bank Transfer. No cheques.

See our website for ordering information.

Dealer Inquires Are Welcome.

ROD BUILDING HINTS

[Index](#)* Always work in a clean well-lighted area.

- * Follow directions for rod building and use professional finishes.
- * If you have a rod-building question or comment, please give us a call 1 (709) 256-3533 or July and August 1 (709) 635-7106. We enjoy calls, questions, and suggestions from rod builders.

HELPFUL TIPS FOR A PROFESSIONAL FINISH

- * For a professional finish use an epoxy finish.
- * If you wish to preserve the thread color, use a color preserver. Two applications with a one-hour drying time between coats.
- * Heat both the containers A and B prior to mixing and application. Do not heat above 80 ° F to 90 ° F. On warm days heating will not be necessary.
- * Accurately measure equal amounts of Resin A and Hardener B with separate syringes and place into a non-porous mixing cup.
- * To mix the two parts, use rounded non-porous mixing stirrers.
- * Mix the two parts slowly (to avoid bubbles) and thoroughly (two minutes or more) until clear.

PROBLEMS

- * If crazing and cracking occurs around the guides become a problem, consider finishing without first coating the windings with a color preserver.
- * To avoid air bubbles, do not mix rapidly. Avoid the use of paper cups, wooden stirrers. Heat both parts A and B prior to mixing.
- * Avoid contamination with Silicone. Silicone in medical syringes. Silicone can cause the finish to fisheye or separate from the rod blank and wrappings.
- * Unequal mix of A and B results in an uncured, "sticky" finish. To correct, recoat the wraps with a new coating of properly finish. If this does not work, remove the old finishes, clean, and recoat.
- * Yellowing of the finish can result from a reaction of the epoxy finish with a lacquer-based color preserver, incomplete mixing or unequal portions of A and B.
 - If epoxy Resin A crystallizes, restore by heating the resin bottle in hot (not boiling) water.
- * Syringes should not be cleaned, just wiped clean and placed into a separate storage bag. Keep the plungers of the syringes halfway to prevent sticking.

Clean up all brushes and containers with acetone or lacquer thinner or epoxy thinner in a well-ventilated area or outdoors.

GUIDE SPACING FLY ROD from tip in inches										
										Index
6ft	4	9	15	22	30.5	42				
7ft	4	9	15	22	30	40	52			
7ft 6 in	4	9	15	22	30	39	49	59		
8ft	3.5	7.5	12.5	18.5	25.5	33.5	42.5	52.5		
8ft 6 in	3.5	7.5	12.5	18.5	25.5	34	44	56	70	
9ft	3.5	7.5	12.5	18.5	25.5	33.5	42.5	52.5	63.5	76

ROD BUILDING COMPONENTS

REEL SEATS - FLY

[Index](#)

Titanium A10S		
Struble Reel		
Seat # D3130	Seat # U3210	Seat # U9350

FIGHTNING BUTT & BUTT CAP

[Index](#)

Fighting Butt F2MB-2	Butt Cap FBCT
----------------------	---------------

GRAPHITE REEL SEAT

[Index](#)

G16 Black - Stainless
G16 Black - Gold
GSK-Skeleton

BUTT CAPS

[Index](#)

B16B-Black	B16N-Brown
------------	------------

REEL SEATS - SPINCAST

[Index](#)

Pistol Grip	
Graphite Triggered (Gold or Silver)	

ROD HANDLES - FLY

[Index](#)

Cork
Cigar Shape
Double Well
Half Well
Small Front Taper
Fast Front Taper
Cork Uplocking
Foam

ROD HANDLES - SPIN

[Index](#)

Cork Front 4"
 Rear 5"
 Also available in foam

ROD CASES (SPECIFY LENGTH OF ROD)

[Index](#)

Plastic 2" Dia. 8.00
 Aluminium 1 3/4" Dia.
 G. Loomis 1 3/4" Dia.
 Rod & Reel Case - Combo

HOOKKEEPERS & CHECKS

[Index](#)

Regular wire hookkeeper
 (Black or Chrome)
 Gold hookkeeper
 Winding Check

ROD FINISH

[Index](#)

Colour Preserver Professional Finish	Rod Varnish Flex Coat F2L	Flex Coat F2SL
---	------------------------------	----------------

ACCESSORIES

[Index](#)

Rod Bag Epoxy Solvent	Measuring Syringe Rod Building Brush	Mixing Cup Rod Turner Motorized
--------------------------	---	------------------------------------

ROD BUILDING KITS

[Index](#)

ROD BUILDING KITS

Order according to rod length and line weight

Pac Bay

- Kits do not include
- Color Preserver
- Flex Coat Finish
- Rod Bag

CUSTOM BUILT FLY RODS LIFETIME SERVICE WARRANTY

Specify length and line weight for fly rods.

Pac Bay

GRAPHITE FLY ROD BLANKS

Pacific Bay Rod Blanks RF-IM7 T-IM6

[Index](#)

Model	Length/Weight	Pieces	Price
RF2F-865	8'6"/5 wt	2	
RF2F-908	9'8 wt	2	
RF2F-909	9'9 wt	2	
RF2F-1008	10'8 wt	2	
RF2F-1009	10'9 wt	2	
RF2F1008-3	10'8 wt	3	
RF2F-9010-3	9'10 wt	3	
RF2F-9010-4	9'10 wt	4	
RF2F-909-4	9'9 wt	4	
T2F-865	8'6"/5 wt	2	
T2F908	9'8 wt	2	
T2F-909	9'9 wt	2	
T2F-1008-3	10'8 wt	2	
T2F-908-4	9'8 wt	4	
T2F-909-4	9'9 wt	4	

Other Pacific Bay Rod Blanks available in different length and line weight both 2 pieces and 4 pieces. Inquire about prices. Specify length, line weight, and number of pieces.

GUIDES AND TOPS

PACBAY SINGLE FT. FLY GUIDES TiCH Finish Stainless Frame

[Index](#)

CSFG1/0 CSFG1 CSFG2	CSFG3 CSFG4 CSFG5
---------------------------	-------------------------

PACBAY Double FT. FLY GUIDES Model T Chrome Finish Stainless Frame SIC Insert

[Index](#)

NHG08	
NHG10	
NHG12	
NHG16	
NHG20	

PACBAY Double FT. FLY GUIDES Model T Black Finish Stainless Frame SIC Insert

[Index](#)

BTSG08	
BTSG10	
BTSG12	
BTSG16	
BTSG20	

PACBAY Double FT. FLY GUIDES Model T TiCH Finish Stainless Frame TiCH Insert

[Index](#)

LCTCG8	
LCTCG10	
LCTCG12	
LCTCG16	
LCTCG18	

CERAMIC SINGLE FT. FLY GUIDES (Black) Stainless Frame

[Index](#)

BZG-6
BZG-7

BZG-8
BZG-10

Stripper Guides (Double)

[Index](#)

BBNHG-10

BBNHG-12

Tops BZT

[Index](#)

Tops BZT
Sizes 4, 4.5, 5, 5.5, 6, 6.5, 7

STRIPPER GUIDES (DOUBLE) GOLD FRAME

[Index](#)

GSVSG-8
GSVSG-10

GSVSG-12
GSVSG-16

FUGI HARDLOY FLY AND SPIN TOPS

[Index](#)

BLLT7

Sizes 4, 4.5, 5, 5.5, 6, 6, 7

BPLT8

Sizes 8, 9

BPLT10

Size 10

HIALOY - GOLD FRAME & BLACK RING DOUBLE FOOT

[Index](#)

GTHG-8
GTHG-10

GTHG-12
GTHG-16

TITANIUM CARBIDE GUIDES

[Index](#)

Sizes 1 to 6.5	
Stripper Guide Size 10	
Stripper Guide Size 12	

TITANIUM CARBIDE TOPS

[Index](#)

Titanium Carbide Tops	
-----------------------	--

TIP TOP

[Index](#)

GPHT	
Sizes 4, 4.5, 5, 5.5, 6, 6.5	

FUJI HARDLOY SINGLE FT. GUIDES (BLACK FRAME GREY INSERT) SPIN GUIDES

[Index](#)

BLVVG-7	BLVVG-16
BLVVG-8	BLVVG-20
BLVVG-10	BLVVG-25
BLVVG-12	BLVVG-30

FUJI HARDLOY DOUBLE FT. GUIDES (BLACK FRAME GREY INSERT)

[Index](#)

BSVVG-6	BSVVG-16
BSVVG-7	BSVVG-20
BSVVG-8	BSVVG-25
BSVVG-10	BSVVG-30
BSVVG-12	

**FUJI HARDLOY DOUBLE FT.
GUIDES (SPIN)**

Black Frame - Steel Grey Insert

[Index](#)

BNLG-6
BNLG-7
BNLG-8
BNLG-10
BNLG-12

BNLG-16
BNLG-20
BNLG-25
BNLG-30

**FUJI HARDLOY FLY & SPIN
TOP - GOLD
GOLD FRAME - STEEL GREY**

[Index](#)

GPLT7

Sizes 4. 4.5, 5, 5.5, 6

**FUJI HARDLOY SINGLE FT.
GUIDES (GOLD) SPIN GUIDES
GOLD FRAME - STEEL GREY INSERT**

[Index](#)

GLVLG-7
GLVLG-8
GLVLG-10
GLVLG-12

GLVLG-16
GLVLG-20
GLVLG-25
GLVLG-30

FUJI HARDLOY DOUBLE FT. GUIDES (GOLD) SPIN GUIDES Gold Frame - Steel Grey Insert

[Index](#)

GSVLG-7
GSVLG-8
GSVLG-10
GSVLG-12

GSVLG-16
GSVLG-20
GSVLG-25
GSVLG-30

FUJI FLY & ULTRA LITE TOPS (BLACK)

[Index](#)

MHT6
Sizes 4, 4.5, 5, 5.5
MHT7
Sizes 4, 4.5, 5, 5.5
MHT8
Sizes 6, 6.5, 7

FUJI FLY TOPS

[Index](#)

PCF Chrome
Sizes 4, 4.5, 5, 5.5, 6, 6.5, 7

WIRE SNAKE GUIDES

[Index](#)

Chrome SSGC
Sizes 1, 2, 3, 4, 5, 6
Black SSGB
Sizes 1, 2, 3, 4, 5, 6

FUJI TIP SIZER

[Index](#)

Model TS21C
Tips from 3.5 to 28.0